COUNCILLORS: Mrs Sue Binns (Chairman); Alderman P Tyzack (PT); Mr K Weeks (KW); Mr M Pruett (MP); Mr I L Roberts (ILR); Mr I Roberts (IR); Mr A Smith (AS) & Mrs O Taylor (OT).

Also Present: District Councillor Robert Griffin, 3 residents of the Parish and Victoria Bywater (minutes).

DEATHS: The meeting held a silence in remembrance of Sadie Poole of Pilning who had recently passed away.

Item Number	Details	Action By
2020-01-1	None	-,
Apologies for		
absence		
2020-01-2	None	
Declarations of		
Interest		
2020-01-3	The minutes of the previous Parish Council Meeting held on the 2 nd December 2019	
Minutes of the	had been previously circulated and were agreed by all as a true record.	
previous Parish		
Council Meeting		
2020-01-4 Matters arising	1) PT updated the meeting that the tree planting had been rearranged for 8 th January 2020.	
_	 PT further updated the meeting that he had agreed to become a Trustee of WERN with immediate effect. 	
2020-01-5	Please see Appendix A.	
Correspondence	The meeting discussed correspondence received regarding noise in the parish.	
	1) Noise from Severn Beach Station	
	OT updated the meeting that this is due to the following issues;	
	a) The recent removal of trees at 'Orchard Pools', Severn Beachb) The use of 'turbo' trains	
	MP further updated the meeting that a further issue of trains waiting at the station which is not turned off whilst waiting and the 'turbo' trains are particularly noisy.	
	After discussion, it was agreed that OT and MP should prepare a letter to GWR which would be sent to GWR by the Chairman.	OT/ MP/ SCB
	 Noise from SUEZ plant MP updated the meeting that a noise log is being kept regarding the noise from the SUEZ plant. 	
	After discussion, it was agreed that MP would arrange a visit to the site for Councillors and members of the public.	MP
	PT requested a letter of thanks to be sent to the Gardening Club for the Christmas	

	Trees. SCB agreed to write to the Gardening Club.	SCB		
	OT updated the meeting that the recently removed Aust to Cribbs Causeway bus			
	service had been replaced by the X14 due to the high number of complaints from			
	members of the public.			
	After discussion, it was agreed that OT would prepare a letter to the bus company to			
	request the reinstatement of the Chepstow to Cribbs Causeway bus service via Pilning	OT/ SCB		
	which would be sent to Stage Coach by the Chairman.			
	CW updated the meeting regarding recent issues at Ableton Court and confirmed			
	correspondence had been received regarding the issues by the Parish Council. After			
	discussion, it was agreed that CW and SCB would raise the issue at the next	CW/		
	Community Engagement Forum meeting.	SCB		
	, , , ,			
2020-01-6	Please see Appendix B			
Accounts for	HR raised an issue with regard to the donation request for the Defibrillator at the			
Payment	Plough at Pilning payable to the Scouts as Almondsbury Charities had agreed to pay £1000 without conditions.			
	After discussion, it was agreed to pay the donation request as agreed at a previous			
	meeting and HR would check with Almondsbury Charities regarding any conditions			
	they had placed on the funding.	HR		
	Accounts for payment were approved.			
2020-01-7	SCB updated the meeting that the Finance Committee recommended a 2.5% increase			
Precept	in the precept request. SCB proposed the recommendation of the 2.5% increase,			
recommendations	seconded by PT, all agreed.			
recommendations	seconded by 11, an agreed.			
2020-01-8	SCB updated the meeting that the Finance Committee recommended en bloc			
Policies & Action	approval of the policies. All agreed.			
Plan	SCB updated the meeting that the Action Plan had not been recommended due to a			
	lack of time and would be discussed at the February 2020 meeting of the Parish	VB		
	Council.			
2020.01.0	Designate by S. Clas Council			
	•			
rianning				
	·			
	, 3			
	(amendment to previously approved scheme PT18/1451/F) – Approve with conditions			
	P19/16988/OHLE Beach Road Severn Beach Bristol South Gloucestershire BS35			
	4PE - Application for consent under Section 37 of the Electricity Act 1989 for the			
	erection of 3 no. poles in the footpath to support existing overhead service lines at			
	l - , - , - , - , - , - , - , - , - , -	I .		
	Beach Road. The application is made under section 5(2) of The Overhead Lines			
2020-01-9 Planning	lack of time and would be discussed at the February 2020 meeting of the Parish Council. Decisions by S.Glos Council P19/13849/F Windermere Main Road, Easter Compton – Erection of single storey front extension to form additional living accommodation – Approve with conditions P19/15762/F Fairfield, Northwick Road, Pilning – Conversion of existing outbuilding into annex ancillary to the main dwelling – Approve with conditions PT19/16719/F Unit 1 Central Park Goldcrest Way Severn Beach Bristol - Installation of biomass Combined Heat and Power boiler and associated drying facilities (amendment to previously approved scheme PT18/1451/F) – Approve with conditions P19/16988/OHLE Beach Road Severn Beach Bristol South Gloucestershire BS35 4PE - Application for consent under Section 37 of the Electricity Act 1989 for the erection of 3 no. poles in the footpath to support existing overhead service lines at	VB		

A resident reported the recently witnessed plumes of yellow smoke coming from the SUEZ plant. As the meeting had already agreed for MP to arrange a site visit, it was agreed to bring this matter to the site visit meeting to discuss and report back to a future parish council meeting. 1. Village Halls/ Playing Fields a) Update from Severn Beach Village Hall & Playing Field – No meeting b) Update from Pilning Village Hall – No meeting c) Pilning Playing Field – IR reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. 4. Pilning station OT reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by IR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
As the meeting had already agreed for MP to arrange a site visit, it was agreed to bring this matter to the site visit meeting to discuss and report back to a future parish council meeting. 1. Village Halls/ Playing Fields	2020 01 10	A recident reported the recently witnessed plumes of vellow smake coming from the				
Participation 2019-01-11 Discussion on agenda item 2020-01-12 0020-01-12 Updates 1. Village Halls/ Playing Fields a) Update from Severn Beach Village Hall & Playing Field – No meeting b) Update from Plining Village Hall - No meeting c) Plining Playing Field – Ir reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Plining Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Plining Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Plining Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. 4. Plining Station OT reported a petition for the station to be able to accommodate the use of electric trains at Plining station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports Preported No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via Fix My Street. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
As the meeting had already agreed for MP to arrange a site visit, it was agreed to bring this matter to the site visit meeting to discuss and report back to a future parish council meeting. MP		SUEZ plant.				
Discussion on agenda item 2020- 01-10 2020-01-12 Updates 1. Village Halls/ Playing Fields a) Update from Severn Beach Village Hall & Playing Field – No meeting b) Update from Pilning Village Hall – No meeting c) Pilning Playing Field – IR reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. Poreports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).	Participation					
Discussion on agenda item 2020- 01-10 2020-01-12 Updates 1. Village Halls/ Playing Fields a) Update from Severn Beach Village Hall & Playing Field – No meeting b) Update from Pilning Village Hall – No meeting c) Pilning Playing Field – IR reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. Poreports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
agenda item 2020- 01-10 11. Village Halls/ Playing Fields 2020-01-12 Updates 2	2019-01-11					
1. Village Halls/ Playing Fields a) Update from Severn Beach Village Hall & Playing Field – No meeting b) Update from Pilning Village Hall – No meeting c) Pilning Playing Field – Its reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. Of further reported a petition for the station to be able to accommodate the use of electric trains at Plining station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).	Discussion on	bring this matter to the site visit meeting to discuss and report back to a future parish				
1. Village Halls/ Playing Fields a) Update from Severn Beach Village Hall & Playing Field – No meeting b) Update from Pilning Village Hall – No meeting c) Pilning Playing Field – IR reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Plining station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).	agenda item 2020-	council meeting.				
a) Update from Severn Beach Village Hall & Playing Field – No meeting b) Update from Pilning Village Hall – No meeting c) Pilning Playing Field – IR reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).	01-10					
a) Update from Severn Beach Village Hall & Playing Field – No meeting b) Update from Pilning Village Hall – No meeting c) Pilning Playing Field – IR reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).	2020-01-12	1. Village Halls/ Plaving Fields				
a) Update from Severn Beach Village Hall & Playing Field – No meeting b) Update from Pilning Village Hall – No meeting c) Pilning Playing Field – IR reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).	Updates	<i>, , ,</i> ,				
b) Update from Pilning Village Hall – No meeting c) Pilning Playing Field – IR reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).	o paates	a) Undate from Severn Beach Village Hall & Playing Field – No meeting				
c) Pilning Playing Field — IR reported brambles on the tennis court. IR to report to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments — KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments — SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery — SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery — SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
to Elm Tree Garden Contractors. 2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).			I.D.			
2. Allotments a) Update on Severn Beach Allotments – KW circulated a log of worked/underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		,	IK			
a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		to Elm Tree Garden Contractors.				
a) Update on Severn Beach Allotments – KW circulated a log of worked/ underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
underworked plots. KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Pilning Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		2. Allotments				
KW reported missing insulation on one of the water troughs. IR to supply insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		a) Update on Severn Beach Allotments – KW circulated a log of worked/				
insulation, KW to fit. b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		underworked plots.				
b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		KW reported missing insulation on one of the water troughs. IR to supply	IR/ KW			
b) Update on Pilning Allotments – SCB reported the site to be tidy. 3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		insulation, KW to fit.				
3. Cemeteries a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		a, opasie on mining mountains and reported the site of activity.				
a) Update on Pilning Cemetery – SCB reported the cemetery to be tidy. b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		3 Camatarias				
b) Update on Northwick Cemetery – SCB reported the tree work on one boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
boundary had been completed. SCB suggested completing the work on the other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		· · · · · · · · · · · · · · · · · · ·				
other boundaries, all agreed. VB to contact Branchwalkers and the neighbour to discuss and agree the work. 4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		· · ·				
4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
4. Pilning Station OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT OT OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		to discuss and agree the work.				
OT reported a recent response from GWR which had confirmed that whilst GWR are unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT OT OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
unable to fund lighting at the station, if funds were available from other sources they would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).						
would not oppose the work. OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		·				
OT further reported a petition for the station to be able to accommodate the use of electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		unable to fund lighting at the station, if funds were available from other sources they				
electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		would not oppose the work.				
electric trains at Pilning station to ensure the long term viability of the station. OT to circulate the petition details to all Councillors. OT 2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		OT further reported a petition for the station to be able to accommodate the use of				
circulate the petition details to all Councillors. No reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		electric trains at Pilning station to ensure the long term viability of the station. OT to				
2020-01-13 Reports MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).			ОТ			
MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		'				
MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).	2020-01-13	No reports				
MP reported the poor condition of cycle paths near Cabot Park which had been reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		r -				
reported via 'Fix My Street'. 2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		MP reported the poor condition of evals noths near Cabet Park which had been				
2020-01-14 Defibrillators After discussion, on the proposal of PT, seconded by ILR it was agreed to take responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).		, , ,				
Defibrillators responsibility for the defibrillators at the Plough, Pilning and Severn Beach (8 for, 2 against).	2020 04 44	, ,				
against).						
	Defibrillators					
2020-01-15 After discussion, on the proposal of HR, seconded by IP it was agreed to take		against).				
2020-01-15 After discussion, on the proposal of HR, seconded by IP it was agreed to take						
Arter discussion, on the proposal of fin, seconded by in it was agreed to take	2020-01-15	After discussion, on the proposal of HR, seconded by IR it was agreed to take				

Play equipment				
	for, 1 against). VB to add to the Parish Council asset list and insurance policy.	VB		
2020-01-16	PT updated the meeting that he continues to press S.Glos Council for a decision			
Orchard Pools	regarding the planning position on the site.			
Of Chara Pools	MP confirmed that the landowner intends to challenge the Tree Preservation Order.			
	MP updated the meeting that the need to add paths to the Definitive Map. MP/PT to			
	circulate maps to all Councillors.	MP/PT		
2020 01 17	,	IVIF/ F I		
2020-01-17 The Chairman confirmed this had already been covered at agenda item 2020-01-5. Noise				
2020-01-18 The Chairman explained that correspondence had been received from a resident				
Roads	regarding the condition of the roads in the Parish.			
	After discussion, it was agreed that OT would prepare an article for the InView			
	magazine explaining how to report issues via the S.Glos Council website.	ОТ		
2020-01-19	Items from previous meetings			
Items to add to	1) The installation of electric car charging points at both village halls (PT)			
future agendas	2) To discuss the installation of a cycle hire scheme (April 2020) (OT)			
	3) To discuss Public Rights of Way in the Parish (PT)			
	4) To agree how to support local 'period poverty (PT)			
	5) Community Land Trust (PT)			
	PT requested a letter of thanks to be sent to the Gardening club for the installation of	CCD		
	the Christmas Trees. SCB to write to the Gardening club.	SCB		
	The Chairman requested all Councillors give consideration to how the Parish Council			
	could commemorate D Day and this would be discussed at a future meeting.	ALL		
	KW reported rubbish alongside the A403. All to report issues via the S.Glos Council			
	website	ALL		
	AS reported HGV's on Redwick Road. After discussion, it was agreed that CW and SCB	SCB/		
	would raise the issue at the next Community Engagement Forum meeting.	CW		
	OT requested a monthly update on Parish Council affairs in the InView magazine. SCB			
	confirmed this would form part of the discussions in appointing a new Clerk.			
	committee this would form part of the discussions in appointing a new cierk.			
	HR offered to attend the workshop on Climate Emergency. PT/ MP/ HR to attend, PT	PT		
	to respond.			
	IR expressed frustration at the lack of link road to the new junction on the M49. PT to			
	write again to S.Glos Council.	PT		
	PT reported the need for better communications with local schools following a			
	successful Christmas event he had attended.			
2020-01-20	District Councillor Robert Griffin currently sign off from work due to ill health.			
Report from S.Glos				
	•			

Council		
Date of Next	The date of the next Parish Council meeting will be on Monday 3 rd February 2020	
Meeting	starting at 7pm, there being no further business the meeting closed 9.15pm.	

APPENDIX A - CORRESPONDENCE

Date Received	Received by	Details	ACTION	
02.12.19	Email	Pilning Village Hall Management Committee minutes 25.11.19	Circulated	
02.12.19	Email	Update from Severn Estuary Partnership	Circulated	
02.12.19	Email	Notice of M49 road closures	Circulated	
03.12.19	Email	Notice of cancellation of the Aust to Cribbs Causeway bus service	Circulated	
05.12.19	Email	Notice of Community Engagement Forum Boundary Amendments	Circulated	
06.12.19	Email	Notice of forthcoming overnight roadworks on the M49 Severn Tunnel	Circulated	
09.12.19	Email	Complaint from a resident regarding Severn Road near Viridor	PT responded	
09.12.19	Email	NALC update regarding repairs to Church property – not permitted	Circulated	
09.12.19	Email	Notice of temporary road closures, Western Approach	Circulated	
10.12.19	Email	Complaint from a resident regarding the recent works on the line close to Severn Beach Station	Discussed	
11.12.19	Email	Complaint from a resident regarding Severn Road near Viridor	Circulated	
11.12.19	Email	Response from Network Rail regarding the car park at Pilning Station	Circulated	
12.12.19	Email	Response from S.Glos Council regarding the change of timetable at Pilning Station	Circulated	
12.12.19	Emails	Complaint from a resident regarding roads in the Parish	Discussed	
15.12.19	Email	Information from a resident regarding the Ableton Court planning application	Circulated	
16.12.19	Post	An Introduction to Internal Drainage Boards	Circulated	
16.12.19	Email	Notice of temporary closures of bridleways and footpaths in Severn Beach	Circulated	
16.12.19	Email	S.Glos Council Community funding available – Member Awarded Funding 2019/ 2020	Circulated	
18.12.19	Email	Agenda for Development Management Committee – 09.01.20	Circulated	
18.12.19	Email	SevernNet Business Breakfast 16.01.19	Circulated	
19.12.19	Email	Oldbury Site Stakeholder Group Meeting – 29.01.20	Circulated	
19.12.19	Email	Notice of temporary closures of roads in Easter Compton	Circulated	
20.12.19	Post	Clerk Magazine	Circulated	
20.12.19	Email	Update from Alderman Peter Tyzack regarding the M49 junction	Circulated	
20.12.19	Email	Report from Alderman Peter Tyzack regarding the English Coastal Paths consultation and liaison with the Parish Council		
20.12.19	Email	Agenda for Scrutiny Commission, Wednesday 8 th January 2020, 3pm, Council Chamber, Kingswood		
24.12.19	Email	Update from Alderman Peter Tyack regarding the M49 link road		
28.12.19	Email	Complaint from a 2x residents regarding Ableton Court		
31.12.19	Email	Update from R Walsh (S.Glos Council) regarding 'Orchard Pools'	Circulated	
02.01.20	Email	Complaint from a resident regarding noise from SUEZ plant		
03.01.20	Email	Agenda for Cabinet Monday 13 th January 2020, 2pm, Kingswood	Circulated	
04.01.20	Post	Clerk & Councils Direct	Circulated	

APPENDIX B - ACCOUNTS FOR PAYMENT

Date	Payee	Details	Net	Reclaimable VAT	Total
06.01.20	Mrs V Bywater	Wages + office payment & fuel allowance	1053.22	0.00	1053.22

	20,	ci ii Deacii School, Severii 1			
06.01.20	Mrs O McIntosh	Cemetery Clerk salary	68.00	0.00	68.00
06.01.20	HMRC	NI & PAYE	151.82	0.00	151.82
06.01.20	Mr P Collins	Toilets at SB	33.33	0.00	33.33
06.01.20	Mr T Dark	Odd Jobs	52.50	0.00	52.50
06.01.20	Elm Tree Garden Contractors Ltd	Grass cutting & maintenance 2018/ 2019	223.97	44.79	268.76
06.01.20	Elm Tree Garden Contractors Ltd	Pilning Cemetery grass cutting & maintenance	193.80	38.76	232.56
06.01.20	Elm Tree Garden Contractors Ltd	Northwick Cemetery grass cutting & maintenance	45.83	9.17	55.00
06.01.20	ВТ	Telephone & Broadband	113.47	22.69	136.16
06.01.20	Vision Office Technical Services Ltd	Photocopying	17.86	3.57	21.43
06.01.20	Severn Beach Village Hall	Hire of meeting room 10.12.19	11.25	0.00	11.25
06.01.20	Severn Beach Village Hall	Hire of meeting room 19.11.19	7.50	0.00	7.50
06.01.20	Elm Tree Garden Contractors Ltd	Final invoice for extra work at Pilning Alloments	660.00	132.00	792.00
06.01.20	Tbyte Ltd	Computer work relating to handover	40.00	0	40.00
06.01.20	S.Glos Council	Uncontested election costs	350.00	0.00	350.00
06.01.20	Dunkley & Co Ltd	Preparation of payroll	30.00	6.00	36.00
06.01.19	Branch Walkers Tree Services Ltd	Work at Northwick Cemetery	2295.00	459.00	2754.00
06.01.19	SLCC	Annual Membership	216.00	0.00	216.00
06.01.20	1st Severn Beach Scout Group	Replacement defibrillator - The Plough, Pilning	2200.00	0.00	2200.00
06.01.20	AED Locator (EU) Ltd	Monitoring charge Pilning defibrillator	315.00	63.00	378.00
06.01.20	Thrings LLP	Registration with Land Registry of Northwick Tower and cemetery	682.00	130.00	812.00
06.01.20	Mr P Tyzack	Mileage charge	11.25	0.00	11.25
06.01.20	Dunkley & Co Ltd	Preparation of December payroll	11.00	2.20	13.20
		TOTAL	8,782.80	911.18	9,693.98